

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandra, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/820,047	04/08/2004	Robert Frederick Veasey	02481.1843	7333
Finnegan Her	7590 11/28/200 iderson, Farabow,	8	EXAM	INER
Garrett & Dunner, L.L.P.			STIGELL, THEODORE J	
1300 I Street, Washington, I	N.W. DC 20005-3315	ART UNIT	PAPER NUMBER	
			3763	
			MAIL DATE	DELIVERY MODE
			11/28/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.	Applicant(s)			
10/820,047	VEASEY ET AL.			
Examiner	Art Unit			
THEODORE J. STIGELL	3763			

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS.

- WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.
- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed
- after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any
- earned patent term adjustment. See 37 CFR 1.704(b).

Status		
1)🛛	Responsive to communication(s) fi	led on <u>11 August 2008</u> .
2a)□	This action is FINAL.	2b)⊠ This action is non-final.
3)	Since this application is in condition	n for allowance except for formal matters, prosecution as to the merits is

closed in accordance with the practice under Ex parts Quayle 1935 C.D. 11, 453 Q.G. 213

D

tioded in accordance with the placeded and Expane adayle, 1000 C.B. 11, 400 C.G. 216.
isposition of Claims
4) Claim(s) 9.10 and 12-29 is/are pending in the application.
4a) Of the above claim(s) is/are withdrawn from consideration.
5) Claim(s) is/are allowed.
6)⊠ Claim(s) <u>9.10 and 12-29</u> is/are rejected.
7) Claim(s) is/are objected to.
8) Claim(s) are subject to restriction and/or election requirement.
pplication Papers
9) The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

a) All b) Some * c) None of:

1.	Certified copies of the priority documents have been received.
2.	Certified copies of the priority documents have been received in Application No
3.	Copies of the certified copies of the priority documents have been received in this National Stage
	application from the International Bureau (PCT Rule 17.2(a)).
* See th	e attached detailed Office action for a list of the certified copies not received.

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).

Attachment(s)		
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patient Drawing Review (PTO-948) 3) Information Tischoser-Statement(s) (PTO/95608) Paper No(s)/Mail Date	4) Interview Summary (PTO-413) Paper No(s)/Mail Date. 5) Action of Informal Pater Lapplication. 6) Other: Other:	
C. Dathet and Vandamant Office		_

Application/Control Number: 10/820,047 Page 2

Art Unit: 3763

DETAILED ACTION

Response to Amendment

Drawings

The drawings were received on 8/11/2008. These drawings are accepted.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 9-10, 12-29 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The claims are rendered indefinite because there seems to be some inconsistency in the claim language. Some claims such as claim 9 recite a drive mechanism or assembly comprising elements such as an epicyclic gearbox, a housing, a piston rod, dose dial sleeve, and drive sleeve, while other claims recite a drug delivery device comprising these same elements. It is unclear if the elements belong to the drive mechanism or drug delivery device.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 14, 17, 20, 23, and 26-29 are rejected under 35 U.S.C. 102(b) as being anticipated by DCA Design International (WO 02/076535). DCA discloses a drug

Application/Control Number: 10/820,047

Art Unit: 3763

delivery injection device comprising a housing (2) wherein a first portion of the housing is configured to receive a cartridge (6) and the second part of the housing contains a drive mechanism including an epicyclic gearbox (20, 22, 24, 26), further comprising a drive sleeve (30, 18) configured to engage a piston (8, 10), and further comprising a dose dial means (42). The examiner notes that the term "epicyclic gearbox" is being interpreted with the definition provided by the specification.

Allowable Subject Matter

Claims 9-10, 12-13, 15-16, 18-19, and 21-22 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action.

Claims 24-25 would be allowable if rewritten to overcome the rejection(s) under 35 U.S.C. 112, 2nd paragraph, set forth in this Office action and to include all of the limitations of the base claim and any intervening claims.

Response to Arguments

Applicant's arguments filed 8/11/2008 have been fully considered but they are not persuasive.

In response to the applicant's argument that DCA does not disclose the limitations recited in claims 14, 17, and 20, the examiner respectfully disagrees. The examiner contends that DCA does disclose elements that can be interpreted as a drive sleeve and dose dial sleeve. In regards to claim 20, the examiner notes that "pen-type" is a broad limitation and that the device of DCA is disclosed as being small enough to fit

Application/Control Number: 10/820,047

Art Unit: 3763

into a jacket pocket or hand bag and therefore can be broadly interpreted as a "pentype" injector. The applicant did not provide any arguments for independent claim 23.

Applicant's arguments, see Remarks, filed 8/11/2008, with respect to the Moller rejection have been fully considered and are persuasive. This rejection has been withdrawn.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to THEODORE J. STIGELL whose telephone number is (571)272-8759. The examiner can normally be reached on M-F 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nicholas Lucchesi can be reached on 571-272-4977. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/820,047 Page 5

Art Unit: 3763

/Theodore J Stigell/ Examiner, Art Unit 3763

/Nicholas D Lucchesi/ Supervisory Patent Examiner, Art Unit 3763